

## WEST Search History





DATE: Friday, January 07, 2005

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
	<i>DB=EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=OR</i>		
<input type="checkbox"/>	L66	L64 and ((database\$ or (data adj1 base\$)) same table\$)	1
<input type="checkbox"/>	L65	L64 and (record\$ same field\$)	1
<input type="checkbox"/>	L64	(denormaliz\$ near ((data adj1 base\$) or database\$ or processor\$ or cpu\$ or computer\$ or terminal\$))	2
	<i>DB=USPT; PLUR=NO; OP=OR</i>		
<input type="checkbox"/>	L63	(denormaliz\$ near ((data adj1 base\$) or database\$ or processor\$ or cpu\$ or computer\$ or terminal\$)).ab.	1
<input type="checkbox"/>	L62	(denormaliz\$ near ((data adj1 base\$) or database\$ or processor\$ or cpu\$ or computer\$ or terminal\$)).ti.	0
<input type="checkbox"/>	L61	L60 and (record\$ same field\$)	9
<input type="checkbox"/>	L60	L58 and ((database\$ or (data adj1 base\$)) same table\$)	9
<input type="checkbox"/>	L59	L58 and (school or schools or university or universities or college or colleges)	0
<input type="checkbox"/>	L58	(151 or 152 or 153 or 154 or 155 or 156) and (denormaliz\$ near ((data adj1 base\$) or database\$ or processor\$ or cpu\$ or computer\$ or terminal\$))	9
<input type="checkbox"/>	L57	(denormaliz\$ near ((data adj1 base\$) or database\$ or processor\$ or cpu\$ or computer\$ or terminal\$))	20
<input type="checkbox"/>	L56	434/1.ccls.	31
<input type="checkbox"/>	L55	707/6.ccls.	1137
<input type="checkbox"/>	L54	707/201.ccls.	896
<input type="checkbox"/>	L53	707/100.ccls.	1626
<input type="checkbox"/>	L52	707/9-10.ccls.	3806
<input type="checkbox"/>	L51	707/1-2.ccls.	3072
<input type="checkbox"/>	L50	149 and (school\$ or education or profession\$ or curriculum\$ or universit\$ or college\$ or roster\$)	1
<input type="checkbox"/>	L49	(denormaliz\$ near ((data adj1 base\$) or database\$ or processor\$ or cpu\$ or computer\$ or terminal\$))	20
<input type="checkbox"/>	L48	L47 and (gui or (graphical adj1 user adj1 intefac\$) or window\$ or menu\$)	58
<input type="checkbox"/>	L47	L46 and (database\$ or (data adj1 base\$))	82
<input type="checkbox"/>	L46	L45 and student\$	136
<input type="checkbox"/>	L45	L39 and (school or schools or university or universities or college or colleges)	172
<input type="checkbox"/>	L44	L43 and ((database\$ or (data adj1 base\$)) same table\$)	15
<input type="checkbox"/>	L43	L42 and (record\$ same field\$)	24

10/ 036, 132

<input type="checkbox"/>	L42 L41 and (database\$ or (data adj1 base\$))	71
<input type="checkbox"/>	L41 L40 and student\$	77
<input type="checkbox"/>	L40 (L37 or L38) and (school or schools or university or universities or college or colleges)	609
<input type="checkbox"/>	L39 (434/323  434/324  434/325  434/326  434/327).ccls.	611
<input type="checkbox"/>	L38 (707/102).ccls.	2109
<input type="checkbox"/>	L37 (707/104.1).ccls.	2354
<input type="checkbox"/>	L36 L35 and (last adj1 name)	2
<input type="checkbox"/>	L35 L34 and (first adj1 name)	2
<input type="checkbox"/>	L34 L33 and (test\$ or quiz\$ or grad\$)	10
<input type="checkbox"/>	L33 L32 and ((link\$ or hyperlink\$ or hypertext\$) same table\$)	13
<input type="checkbox"/>	L32 L31 and ((database\$ or (data adj1 base\$)) same table\$)	20
<input type="checkbox"/>	L31 L30 and (database\$ or (data adj1 base\$))	20
<input type="checkbox"/>	L30 (L28 or L29) and (record\$ same field\$)	21
<input type="checkbox"/>	L29 L27 and education	27
<input type="checkbox"/>	L28 L27 and student\$	29
<input type="checkbox"/>	L27 L25 and (school or schools or university or universities or college or colleges)	208
<input type="checkbox"/>	L26 L25 and (school or schools or university or universities or college or colleges).ab.	2
<input type="checkbox"/>	L25 (707/100).ccls.	1626
<input type="checkbox"/>	L24 L18 and (link\$ same (table or tables))	14
<input type="checkbox"/>	L23 L21 and ((replica\$ or duplicat\$) same (key or key\$))	6
<input type="checkbox"/>	L22 L21 and ((replica\$ or duplicat\$) near (key or key\$))	0
<input type="checkbox"/>	L21 L18 and (key or keys)	19
<input type="checkbox"/>	L20 L18 and (history or histor\$)	9
<input type="checkbox"/>	L19 L18 and (master near table)	2
<input type="checkbox"/>	L18 L17 and (table or tables)	22
<input type="checkbox"/>	L17 L16 and (record or records)	27
<input type="checkbox"/>	L16 L15 and (database or databases or (data adj1 base) or (data adj1 bases))	30
<input type="checkbox"/>	L15 (L3 or L12) and (student or students)	31
<input type="checkbox"/>	L14 L2 and education.ab.	1
<input type="checkbox"/>	L13 L2 and education.ti.	1
<input type="checkbox"/>	L12 L2 and education	20
<input type="checkbox"/>	L11 L9 and (table or tables)	2
<input type="checkbox"/>	L10 L8 and (table or tables)	1
<input type="checkbox"/>	L9 L7 and (record or records)	3
<input type="checkbox"/>	L8 L6 and (record or records)	1
<input type="checkbox"/>	L7 L5 and (database or databases or (data adj1 base) or (data adj1 bases))	3
<input type="checkbox"/>	L6 L4 and (database or databases or (data adj1 base) or (data adj1 bases))	1

<input type="checkbox"/>	L5	L2 and (school or schools or university or universities or college or colleges).ab.	4
<input type="checkbox"/>	L4	L2 and (school or schools or university or universities or college or colleges).ti.	1
<input type="checkbox"/>	L3	L2 and (school or schools or university or universities or college or colleges) (L1).pn. (6691120 5652880 6282531 6708179 5835912 5615367 5303367 5983232 5551027 5566330 5706494 5752018 5832481 5848408 5903887 5960194 6003024 6112209 6163783 6233573 4947320 5261098 5295261 5367675 5375235 5448727 5459860 5511190 5537589 5555297 5581758 5586330 5592667 5666526 5682535 5701460 5713020 5724577 5729730 5737591 5752025 5758337 5761653 5781896 5787433 5809505 5819086 5826257 5860136 5884299).pn. (5893087 5907603 5909688 5918225 5920900 5937401 5956725 5978791 6032153 6047285 6064999 6067584 6073129 6081799 6098070 6105025 6105017 6108664 6111574 6134558 6134546 6151604 6161105 6163775 6163781 6167399 6169990 6175836 6175837 6185557 6192373 6208992 6226629 6226629 6236984 6266660 6272503 6278992 6292880 6304876 6356888 6356897 6363389 6381324 6401089 6421662 6427123 6427143 6438562 6453319).pn. (6466942 6473504 6505188 6591275 6691123 6065002 6587857 5043916 5991741 5513991 5727950 5864869 5995958 6041316 6091930 6173153 6178308 6201948 6282404 6427063 6496681 5881336 6181910 6208264 6394453 6192370 6292830 5233552 5964872 6163774 5594898 5694608 5893125 5197005 5613142 5857183 5995960 6108663 5287493 5487141 5511186 5546576 5553218 5604899 5617567 5651108 5652882 5675779 5680618 5710915).pn. (5724570 5778370 5819264 5826259 5870749 5870747 5873075 5937406 5960426 5963933 5987472 6014138 6085189 4790564 5297280 5396623 5412804 5432931 5490100 5524238 5551020 5560007 5590319 5603025 5659547 5666528 5740421 5742806 5742809 5781773 5787410 5819251 5822749 5848406 5852822 5860070 5864842 5864840 5873093 5873074 5875334 5960428 5978793 5986652 6003033 6006232 6009432 6016497 6032143 6081801).pn. (6105020 6108004 6112210 6115705 6122641 6134564 6141738 6154748 6216139 6223182 6226639 6212526 6216139 6223182 6226639 6236998 6240428 6243709 6243720 6247018 6249791 6253197 6269375 6272487 6356889 6370619 6563522 6622144 6629094 4498145 4506326 4626829 4627019 4774657 4785400 4787035 4811217 4882699 4885678 4905138 4914569 4918602 4922417 4933848 4945480 4956769 4961139 4961134 4967341 4979098).pn. (5444842 6694325 5561793 5991776 5787416 6078926 5257185 5499359 5600829 5745896 5752028 6427145 6651216 6675160 5873102 5890167 6643493 5334822 6685482 6205451 6212515 6212515 5675785 5848405 6003036 6014655 6032158 6058394 6138121 6161103 6167405 6189004 6212524 6212524 6275824 6282544 6356901 6374235 6385604 6397204 6438538 6446063 6480842 6519591 6604095 6622152 6629095 6665654 6668253 6691101).	64
<input type="checkbox"/>	L2	L2 and (school or schools or university or universities or college or colleges).ti.	294
<input type="checkbox"/>	L1	L2 and (school or schools or university or universities or college or colleges).ab.	513

END OF SEARCH HISTORY


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide



THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

**denormalized database and records and master table and fields and identifiers and students**

Found 39,746

of 148,162

 Sort results  
by


[Save results to a Binder](#)
[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

 Display  
results


[Search Tips](#)
☐ Open results in a new window

Results 1 - 20 of 200

 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

 Relevance scale ☐ ☐ ☐ ☐ ☐

### 1 [Query evaluation techniques for large databases](#)

Goetz Graefe

 June 1993 **ACM Computing Surveys (CSUR)**, Volume 25 Issue 2

Full text available: pdf(9.37 MB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Database management systems will continue to manage large data volumes. Thus, efficient algorithms for accessing and manipulating large sets and sequences will be required to provide acceptable performance. The advent of object-oriented and extensible database systems will not solve this problem. On the contrary, modern data models exacerbate the problem: In order to manipulate large sets of complex objects as efficiently as today's database systems manipulate simple records, query-processi ...

**Keywords:** complex query evaluation plans, dynamic query evaluation plans, extensible database systems, iterators, object-oriented database systems, operator model of parallelization, parallel algorithms, relational database systems, set-matching algorithms, sort-hash duality

### 2 [Types and persistence in database programming languages](#)

Malcolm P. Atkinson, O. Peter Buneman

 June 1987 **ACM Computing Surveys (CSUR)**, Volume 19 Issue 2

Full text available: pdf(7.91 MB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Traditionally, the interface between a programming language and a database has either been through a set of relatively low-level subroutine calls, or it has required some form of embedding of one language in another. Recently, the necessity of integrating database and programming language techniques has received some long-overdue recognition. In response, a number of attempts have been made to construct programming languages with completely integrated database management systems. These lang ...

### 3 [Computing curricula 2001](#)

 September 2001 **Journal on Educational Resources in Computing (JERIC)**

 Full text available: pdf(613.63 KB)  
 html(2.78 KB)

 Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

10/036,132

4 Physical design equivalencies in database conversion

Mark L. Gillenson

August 1990 **Communications of the ACM**, Volume 33 Issue 8

Full text available:  pdf(1.45 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)


As relational technology becomes increasingly accepted in commercial data processing, conversion of some of the huge number of existing navigational databases to relational databases is inevitable. It is thus important to understand how to recognize physical design modifications and enhancements in the navigational databases and how to convert them to equivalent relational terms as applicable.

**Keywords:** database performance

5 Fast algorithms for universal quantification in large databases

Goetz Graefe, Richard L. Cole

June 1995 **ACM Transactions on Database Systems (TODS)**, Volume 20 Issue 2

Full text available:  pdf(3.51 MB)


Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Universal quantification is not supported directly in most database systems despite the fact that it adds significant power to a system's query processing and inference capabilities, in particular for the analysis of many-to-many relationships and of set-valued attributes. One of the main reasons for this omission has been that universal quantification algorithms and their performance have not been explored for large databases. In this article, we describe and compare three known algorithms ...

6 Model-driven development of Web applications: the AutoWeb system

Piero Fraternali, Paolo Paolini

October 2000 **ACM Transactions on Information Systems (TOIS)**, Volume 18 Issue 4

Full text available:  pdf(6.94 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper describes a methodology for the development of WWW applications and a tool environment specifically tailored for the methodology. The methodology and the development environment are based upon models and techniques already used in the hypermedia, information systems, and software engineering fields, adapted and blended in an original mix. The foundation of the proposal is the conceptual design of WWW applications, using HDM-lite, a notation for the specification of structure, nav ...

**Keywords:** HTML, WWW, application, development, intranet, modeling

7 How good is that data in the warehouse?

John M. Artz

June 1997 **ACM SIGMIS Database**, Volume 28 Issue 3

Full text available:  pdf(1.07 MB)

Additional Information: [full citation](#), [abstract](#), [index terms](#)

A data warehouse is an analytical database used for decision support. Data are copied from production databases, cleaned up, and possibly renormalized (i.e., denormalized for performance or normalized to create correct record structures). If the resulting records are normalized incorrectly or if the users do not understand how the records have been denormalized, then a phenomenon called semantic disintegrity may occur. Semantic


disintegrity occurs when a user submits a query and receives an answ ...

**Keywords:** data quality, data warehouse, database design, experimentation, human factors, normalization

8 Distributed operating systems

Andrew S. Tanenbaum, Robbert Van Renesse

December 1985 **ACM Computing Surveys (CSUR)**, Volume 17 Issue 4

Full text available:  pdf(5.49 MB)


Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Distributed operating systems have many aspects in common with centralized ones, but they also differ in certain ways. This paper is intended as an introduction to distributed operating systems, and especially to current university research about them. After a discussion of what constitutes a distributed operating system and how it is distinguished from a computer network, various key design issues are discussed. Then several examples of current research projects are examined in some detail ...

9 EAS-E: an integrated approach to application development

A. Malhotra, H. M. Markowitz, D. P. Pazel

December 1983 **ACM Transactions on Database Systems (TODS)**, Volume 8 Issue 4

Full text available:  pdf(2.26 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

EAS-E (pronounced EASY) is an experimental programming language integrated with a database management system now running on VM/370 at the IBM Thomas J. Watson Research Center. The EAS-E programming language is built around the entity, attribute, and set (EAS) view of application development. It provides a means for translating operations on EAS structures directly into executable code. EAS-E commands have an English-like syntax, and thus EAS-E programs are ...

**Keywords:** entity relationship model

10 Special issue on persistent object systems: Orthogonally persistent object systems

Malcolm Atkinson, Ronald Morrison

July 1995 **The VLDB Journal – The International Journal on Very Large Data Bases**, Volume 4 Issue 3

Full text available:  pdf(5.02 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

Persistent Application Systems (PASs) are of increasing social and economic importance. They have the potential to be long-lived, concurrently accessed, and consist of large bodies of data and programs. Typical examples of PASs are CAD/CAM systems, office automation, CASE tools, software engineering environments, and patient-care support systems in hospitals. Orthogonally persistent object systems are intended to provide improved support for the design, construction, maintenance, and operation o ...

**Keywords:** database programming languages, orthogonal persistence, persistent application systems, persistent programming languages

11 Database and digital library technologies: Elicitation and conversion of hidden objects and restrictions in a database schema

Laura C. Rivero, Jorge H. Doorn, Viviana E. Ferraggine

March 2002 **Proceedings of the 2002 ACM symposium on Applied computing**

Full text available:  pdf(627.49 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Mapping a database schema from one model into another, with a higher semantic capacity, is a current research subject with application in several development fields, such as schema integration and translation, migration from legacy systems and reengineering of poor quality or no-longer accurate data models. Inclusion dependencies are one of the most important concepts in relational databases and they are the key to perform some reengineering of database schemas. Referential integrity restriction ...

**Keywords:** database conceptual schema reengineering, denormalization, pure inclusion dependencies

## 12 NFQL: the natural forms query language

David W. Embley

June 1989 **ACM Transactions on Database Systems (TODS)**, Volume 14 Issue 2

Full text available:  pdf(3.56 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

A means by which ordinary forms can be exploited to provide a basis for nonprocedural specification of information processing is discussed. The Natural Forms Query Language (NFQL) is defined. In NFQL data retrieval requests and computation specifications are formulated by sketching ordinary forms to show what data are desired and update operations are specified by altering data on filled-in forms. The meaning of a form depends on a store of knowledge that includes extended abstract data typ ...

## 13 Distributed environment: Supporting database access in the Hermes programming language

P. Å. Larsont, Qiang Zhut, Frank Pellow

October 1991 **Proceedings of the 1991 conference of the Centre for Advanced Studies on Collaborative research**

Full text available:  pdf(885.10 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)


The work reported in this paper is part of a project aimed at designing and prototyping an application development environment that allows easy development of platform-independent distributed applications. The main goals of the database subproject are to investigate methods for (1) providing (SQL) database access and (2) supporting transaction management within a distributed programming environment based on the paradigm of communicating sequential processes. This paper looks at how SQL database ...

**Keywords:** Hermes, SQL, database access, distributed applications

## 14 A storage system for complex objects

U. Deppisch, H.-B. Paul, H.-J. Schek

September 1986 **Proceedings on the 1986 international workshop on Object-oriented database systems**

Full text available:  pdf(1.17 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Complex objects are required in many new applications of databases. A common characteristic feature is that objects use other (sub-) objects for their description. Consequently retrieval or extraction of complex objects may include some or all of their subobjects which - in turn - may have subobjects to be extracted too. Accordingly a storage system is described which was designed and implemented with the objective to provide this set orientation: Relations with relation-valued attr ...

15 MSIS 2000: model curriculum and guidelines for graduate degree programs in information

John Gorgone, Paul Gray

February 2000 **Communications of the AIS**

Full text available:  pdf(265.60 KB) Additional Information: [full citation](#), [references](#)

16 Task force report and recommendations

January 2000 **ACM SIGMIS Database**, Volume 31 Issue 1

Full text available:  pdf(4.42 MB) Additional Information: [full citation](#), [index terms](#)

17 Schema analysis for database restructuring

Shamkant B. Navathe

June 1980 **ACM Transactions on Database Systems (TODS)**, Volume 5 Issue 2

Full text available:  pdf(1.83 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The problem of generalized restructuring of databases has been addressed with two limitations: first, it is assumed that the restructuring user is able to describe the source and target databases in terms of the implicit data model of a particular methodology; second, the restructuring user is faced with the task of judging the scope and applicability of the defined types of restructuring to his database implementation and then of actually specifying his restructuring needs by translating t ...

**Keywords:** data model, data relationships, data semantics, data structure, database, database design, database management systems, database restructuring, graphical representation of data, schema, stored data

18 K: a high-level knowledge base programming language for advanced database applications

Yuh-Ming Shyy, Stanley Y. W. Su

April 1991 **ACM SIGMOD Record , Proceedings of the 1991 ACM SIGMOD international conference on Management of data**, Volume 20 Issue 2

Full text available:  pdf(1.17 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

19 Matching records in a national medical patient index

Glenn B. Bell, Anil Sethi

September 2001 **Communications of the ACM**, Volume 44 Issue 9

Full text available:  pdf(146.20 KB)  html(29.64 KB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

20 Using scientific data to teach a database systems course

Paul J. Wagner, Elizabeth Shoop, John V. Carlis

January 2003 **ACM SIGCSE Bulletin , Proceedings of the 34th SIGCSE technical symposium on Computer science education**, Volume 35 Issue 1

Full text available:  pdf(155.12 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Database systems instructors face an ongoing challenge to develop meaningful assignments



for their courses. We have found that instructors can successfully use large scientific datasets in teaching a database systems course to better prepare students for real-world database systems work.

**Keywords:** database, scientific, systems, teaching

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

**IEEE Xplore®**  
 RELEASE 1.8

 Welcome  
 United States Patent and Trademark Office

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Print Format

Your search matched **20** of **1108362** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or entering a new one in the text box.

denormalized

☐ Check to search within this result set
**Results Key:****JNL** = Journal or Magazine   **CNF** = Conference   **STD** = Standard**1 Hardware implementations of denormalized numbers***Schwarz, E.M.; Schmookler, M.; Trong, S.D.;*

Computer Arithmetic, 2003. Proceedings. 16th IEEE Symposium on , 15-18 Ju 2003

Pages:70 - 78

[\[Abstract\]](#)   [\[PDF Full-Text \(951 KB\)\]](#)   **IEEE CNF**
**2 Applying features of IEEE 754 to sign/logarithm arithmetic***Arnold, M.G.; Bailey, T.A.; Cowles, J.R.; Winkel, M.D.;*

Computers, IEEE Transactions on , Volume: 41 , Issue: 8 , Aug. 1992

Pages:1040 - 1050

[\[Abstract\]](#)   [\[PDF Full-Text \(948 KB\)\]](#)   **IEEE JNL**
**3 Denormalization effects on performance of RDBMS***Sanders, G.L.; Seungkyoon Shin;*

System Sciences, 2001. Proceedings of the 34th Annual Hawaii International Conference on , 3-6 Jan. 2001

Pages:9 pp.

[\[Abstract\]](#)   [\[PDF Full-Text \(216 KB\)\]](#)   **IEEE CNF**
**4 A new approximation theory for Z-domain elliptic transfer functions***Nowrouzian, B.;*

Circuits and Systems, 1993., ISCAS '93, 1993 IEEE International Symposium on , 3-6 May 1993

Pages:2315 - 2318 vol.4

[\[Abstract\]](#)   [\[PDF Full-Text \(260 KB\)\]](#)   **IEEE CNF**

10/036,132

---

**5 Implementation design for databases: the 'forgotten' step***Martyn, T.;*

IT Professional , Volume: 2 , Issue: 2 , March-April 2000

Pages:42 - 49

[\[Abstract\]](#) [\[PDF Full-Text \(268 KB\)\]](#) IEEE JNL

---

**6 Multistep gradual rounding***Lee, C.;*

Computers, IEEE Transactions on , Volume: 38 , Issue: 4 , April 1989

Pages:595 - 600

[\[Abstract\]](#) [\[PDF Full-Text \(524 KB\)\]](#) IEEE JNL

---

**7 Prototype reference transfer function parameters in the discrete-time frequency transformations***Nowrouzian, B.; Constantinides, A.G.;*

Circuits and Systems, 1990., Proceedings of the 33rd Midwest Symposium on 14 Aug. 1990

Pages:1078 - 1082 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(292 KB\)\]](#) IEEE CNF

---

**8 Towards the reverse engineering of renormalized relational databases***Petit, J.-M.; Toumani, F.; Boulicaut, J.-F.; Kouloumdjian, J.;*

Data Engineering, 1996. Proceedings of the Twelfth International Conference on , 26 Feb.-1 March 1996

Pages:218 - 227

[\[Abstract\]](#) [\[PDF Full-Text \(780 KB\)\]](#) IEEE CNF

---

**9 High performance floating-point unit with 116 bit wide divider***Gerwig, G.; Wetter, H.; Schwarz, E.M.; Haess, J.;*

Computer Arithmetic, 2003. Proceedings. 16th IEEE Symposium on , 15-18 Ju 2003

Pages:87 - 94

[\[Abstract\]](#) [\[PDF Full-Text \(1406 KB\)\]](#) IEEE CNF

---

**10 A segment-based  $C_0$  adaptation scheme for PMC-based noisy Mandarin speech recognition***Wei-Tyng Hong; Sin-Hong Chen;*

Acoustics, Speech, and Signal Processing, 1999. ICASSP '99. Proceedings., 19 IEEE International Conference on , Volume: 1 , 15-19 March 1999

Pages:433 - 436 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(320 KB\)\]](#) IEEE CNF

---

**11 How to half the latency of IEEE compliant floating-point multiplication***Seidel, P.-M.;*

Euromicro Conference, 1998. Proceedings. 24th , Volume: 1 , 25-27 Aug. 199

Pages:329 - 332 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(384 KB\)\]](#) IEEE CNF

---

**12 Closed-form solutions for discrete-time elliptic transfer functions**

*Nowrouzian, B.; Bruton, L.T.;*

Circuits and Systems, 1992., Proceedings of the 35th Midwest Symposium on  
12 Aug. 1992

Pages:784 - 787 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(280 KB\)\]](#) IEEE CNF

---

**13 Transforming from flat algebra to nested algebra**

*Deshpande, V.; Larson, P.;*

System Sciences, 1990., Proceedings of the Twenty-Third Annual Hawaii  
International Conference on , Volume: ii , 2-5 Jan. 1990

Pages:298 - 307 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(644 KB\)\]](#) IEEE CNF

---

**14 Spectral analysis of 49 years of rainfall rate and relation to fade dynamics**

*Burgueno, A.; Vilar, E.; Puigcerver, M.;*

Communications, IEEE Transactions on , Volume: 38 , Issue: 9 , Sept. 1990

Pages:1359 - 1366

[\[Abstract\]](#) [\[PDF Full-Text \(700 KB\)\]](#) IEEE JNL

---

**15 Low active-sensitivity allpole active-RC filters using impedance tap**

*Juriscic, D.; Moschytz, G.S.; Mijat, N.;*

Circuits and Systems, 2004. ISCAS '04. Proceedings of the 2004 International  
Symposium on , Volume: 1 , 23-26 May 2004

Pages:I-89 - I-92 Vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(516 KB\)\]](#) IEEE CNF

---

[1](#) [2](#) [Next](#)

---

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) |  
[New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online](#)  
[Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE .



» Se.

Membership Publications/Services Standards Conferences Careers/Jobs

**IEEE Xplore®**  
 RELEASE 1.8

 Welcome  
 United States Patent and Trademark Office

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Your search matched **1** of **1108362** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or entering a new one in the text box.


☐ Check to search within this result set
**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**1 Implementation design for databases: the 'forgotten' step***Martyn, T.;*

IT Professional , Volume: 2 , Issue: 2 , March-April 2000

Pages:42 - 49

[\[Abstract\]](#)[\[PDF Full-Text \(268 KB\)\]](#)**IEEE JNL**

Print Format

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved